



Tomorrow's Doctors, Tomorrow's Cures®



Core Entrustable Professional Activities for Entering Residency

Learn

Serve

Lead



Core Entrustable Professional Activities for Entering Residency



EPA 10 Toolkit: Recognize a Patient Requiring Urgent or Emergent Care and Initiate Evaluation and Management

Association of American Medical Colleges
Washington, D.C.

Association of
American Medical Colleges



Core Entrustable Professional Activities for Entering Residency



EPA 10 Workgroup

Heather Laird-Fick, MD, MPH, Michigan State University
Kim Lomis, MD, Vanderbilt University
Anna Nelson, MD, PhD, Oregon Health & Science University
Vivian Obeso, MD, Florida International University

Senior Editors

Vivian Obeso, MD, Florida International University
David Brown, MD, Florida International University
Carrie Phillipi, MD, PhD, Oregon Health & Science University

Editors

Meenakshy Aiyer, MD, University of Illinois
Beth Barron, MD, Columbia University
Jan Bull, MA, Association of American Medical Colleges
Teresa J. Carter, EdD, Virginia Commonwealth University
Matthew Emery, MD, MSc, Michigan State University
Colleen Gillespie, PhD, New York University
Mark Hormann, MD, The University of Texas Health Science Center at Houston
Abbas Hyderi, MD, MPH, University of Illinois
Carla Lupi, MD, Florida International University
Michael L. Schwartz, PhD, Yale University
Margaret Uthman, MD, The University of Texas Health Science Center at Houston
Eduard E. Vasilevskis, MD, MPH, Vanderbilt University
Sandra Yingling, PhD, University of Illinois

AAMC Staff

Alison Whelan, MD
Chief Medical Education Officer

Chris Hanley, MBA
Project Manager

Lynn Shaul, MA
Senior Research Specialist

For inquiries and correspondence, contact Dr. Vivian Obeso at vobeso@fiu.edu, Carrie Phillipi at phillica@ohsu.edu, or Dr. Alison Whelan at awhelan@aamc.org.

This is a publication of the Association of American Medical Colleges. The AAMC serves and leads the academic medicine community to improve the health of all. aamc.org

© 2017 Association of American Medical Colleges. May be reproduced and distributed with attribution for educational or noncommercial purposes only.

Suggested Toolkit Citation:

Obeso V, Brown D, Aiyer M, Barron B, Bull J, Carter T, Emery M, Gillespie C, Hormann M, Hyderi A, Lupi C, Schwartz M, Uthman M, Vasilevskis EE, Yingling S, Phillipi C, eds.; for Core EPAs for Entering Residency Pilot Program. *Toolkits for the 13 Core Entrustable Professional Activities for Entering Residency*. Washington, DC: Association of American Medical Colleges; 2017. aamc.org/initiatives/coreepas/publicationsandpresentations.

Suggested One-Page Schematic Citation:

Laird-Fick H, Lomis K, Nelson A, Obeso V. *Core Entrustable Professional Activities for Entering Residency—EPA 10 Schematic: Recognize a Patient Requiring Urgent or Emergent Care and Initiate Evaluation and Management*. Obeso V, Brown D, Phillipi C, eds. Washington, DC: Association of American Medical Colleges; 2017. aamc.org/initiatives/coreepas/publicationsandpresentations.



Core Entrustable Professional Activities for Entering Residency



Contents

User Guide	2
One-Page Schematics	3
Frequently Asked Questions	5
EPA 10 Schematic	7
Appendix 1: Core EPA Pilot Supervision and Coactivity Scales	8
Appendix 2: Resources Related to EPA 10	10
Appendix 3: Behaviors and Vignettes	11
Appendix 4: The Physician Competency Reference Set (PCRS)	12
References	16
Publications From the Core EPA Pilot	16
Other Related Publications	16



Core Entrustable Professional Activities for Entering Residency



User Guide

This toolkit is for medical schools interested in implementing the Core Entrustable Professional Activities (EPAs) for Entering Residency. Written by the AAMC Core EPA Pilot Group, the toolkit expands on the EPA framework outlined in the *EPA Developer's Guide* (AAMC 2014). The Pilot Group identified progressive sequences of student behavior that medical educators may encounter as students engage in the medical school curriculum and became proficient in integrating their clinical skills. These sequences of behavior are articulated for each of the 13 EPAs in one-page schematics to provide a framework for understanding EPAs; additional resources follow.

This toolkit includes:

- One-page schematic of each EPA
- Core EPA Pilot supervision and coactivity scales
- List of resources associated with each EPA
- Reference to EPA bulleted behaviors and vignettes from the *Core EPA Guide*
- The Physician Competency Reference Set
- Opportunities for engagement with the Core EPA Pilot



Core Entrustable Professional Activities for Entering Residency



One-Page Schematics

In 2014, the AAMC launched a pilot project with 10 institutions to address the feasibility of implementing 13 EPAs for entering residency in undergraduate medical education. To standardize our approach as a pilot and promote a shared mental model, the Core EPA Pilot Group developed one-page schematics for each of the 13 EPAs.

These schematics were developed to translate the rich and detailed content within *The Core Entrustable Professional Activities for Entering Residency Curriculum Developers' Guide* published in 2014 by the AAMC into a one-page, easy-to-use format (AAMC 2014). These one-page schematics of developmental progression to entrustment provide user-friendly descriptions of each EPA. We sought fidelity to the original ideas and concepts created by the expert drafting panel that developed the *Core EPA Guide*.

We envision the one-page schematics as a resource for:

- Development of curriculum and assessment tools
- Faculty development
- Student understanding
- Entrustment committees, portfolio advisors, and others tracking longitudinal student progress

Understanding the One-Page Schematic

Performance of an EPA requires integration of multiple competencies (Englander and Carraccio 2014). Each EPA schematic begins with its list of key functions and related competencies. The functions are followed by observable behaviors of increasing ability describing a medical student's development toward readiness for indirect supervision. The column following the functions lists those behaviors requiring immediate correction or remediation. The last column lists expected behaviors of an entrustable learner.

The members of the Curriculum and Assessment Team of the Core EPA Pilot Group led this initiative. Thirteen EPA groups, each comprising representatives from four to five institutions, were tasked with creating each EPA schematic. Development of the schematics involved an explicit, standardized process to reduce variation and ensure consistency with functions, competencies, and the behaviors explicit in the *Core EPA Guide*. Behaviors listed were carefully gathered from the *Core EPA Guide* and reorganized by function and competency and listed in a developmental progression. The Curriculum and Assessment Team promoted content validity by carrying out iterative reviews by telephone conference call with the members of the Core EPA Pilot Group assigned to each EPA.

EPA Curriculum and Assessment

Multiple methods of teaching and assessing EPAs throughout the curriculum will be required to make a summative entrustment decision about residency readiness. The schematics can help to systematically identify and map curricular elements required to prepare students to perform EPAs. Specific prerequisite curricula may be needed to develop knowledge, skills, and attitudes before the learner engages in practice of the EPA.

To implement EPAs, medical schools should identify where in the curriculum EPAs will be taught, practiced, and assessed. Among other modalities, simulation, reflection, and standardized and structured experiences will all provide data about student competence. However, central to the concept of entrustment is the global performance of EPAs in authentic clinical settings, where the EPA is taught and assessed holistically, not as the sum of its parts.



Core Entrustable Professional Activities for Entering Residency



Workplace-Based Assessments: Supervision and Coactivity Scales

On a day-to-day basis, clinical supervisors make and communicate judgments about how much help (coactivity) or supervision a student or resident needs. “Will I let the student go in the room without me? How much will I let the student do versus observe? Because I wasn’t present to observe, how much do I need to double-check?” Scales for clinical supervisors to determine how much help or supervision a student needs for a specific activity have been proposed (Chen et al 2015; Rekman et al 2016). There is limited validity evidence for these scales, and no published data comparing them. Given our initial experience, the Core EPA Pilot Group has agreed on a trial using modified versions of these scales (Appendix 1).

Resources

The Pilot Group compiled a list of resources, including relevant Critical Synthesis Packages from MedEdPORTAL[®], a review of current existing literature, teaching methods, and assessment tools related to each EPA (Appendix 2). This collection of products may help schools with implementation. For example, schools may find the teaching methods and assessment tools useful when considering multiple sources of data about student performance that may eventually contribute to a summative entrustment decision. The Pilot Group concluded that new teaching methods and assessment tools will be needed to complement these resources. This need is particularly relevant for workplace-based assessments where the synthetic performance of an EPA is linked to a level of supervision. We envision the one-page schematics as a resource for the development of new teaching and assessment methods.



Core Entrustable Professional Activities for Entering Residency



Frequently Asked Questions

Why are EPAs important?

In many cases, medical school graduates are perceived by residency program directors as insufficiently prepared at the beginning of their residency training for indirect supervision in clinical skills and for exhibiting professional behaviors. The EPAs define a shared set of clinical activities that residents are expected to perform on day one of residency. This is an important opportunity for undergraduate medical education to develop a new construct toward preparedness and, as an end goal, improvements in patient safety. Ideally, students will perform the Core EPAs consistently in situations of varying complexity as they practice and receive actionable feedback, formulating learning goals for future demonstrations of competence.

What does “entrustment” mean in the context of the EPAs?

Entrustment is defined as trustworthiness in applying knowledge, skills, and attitudes in performance of an EPA. To be “trustworthy,” students must consistently demonstrate attributes such as conscientiousness, knowledge of their own limits and help-seeking behavior (discernment), and truthfulness (Kennedy et al 2008). Throughout medical education, students should be assessed on trustworthiness—though this may occur implicitly or explicitly. The EPA framework makes this assessment explicit and transparent.

EPA entrustment is defined as a judgment by a supervisor or collection of supervisors signaling a student has met specific, defined expectations for needing limited supervision. The Core EPA Pilot Group recommends the formation of an entrustment committee to make evidence-based summative entrustment decisions about each student’s readiness for residency (Brown et al 2017).

What is the relationship between competencies and EPAs?

The EPA framework reorganizes competencies into observable units of clinical work by function. Each function is a subunit of work required to perform an EPA. The functions and related competencies are the parts, and the EPA is the whole. The Toolkit’s one-page schematics highlight an EPA’s specific functions with underlying competencies into observable behaviors within a developmental progression toward entrustment.

Although tracking progression within individual functions can help learners develop appropriate skills, monitoring learner progress toward entrustability for that EPA requires synthesis: At some point the learner must apply each of the functions in execution of the EPA task. *To this end, we emphasize the importance of the holistic nature of the EPA and prioritize assessment for entrustment in these activities in workplace settings as a whole, not as the sum of their parts.*

Is the one-page schematic designed as a rubric for student assessment?

No, the one-page schematics are not intended to serve as assessment tools. They can serve as guides for development of instructional, feedback, and assessment tools for EPAs. We share them as a framework for understanding the developmental progression that graduating medical students should demonstrate as a reflection of their readiness for residency.



Core Entrustable Professional Activities for Entering Residency



How can I or my institution become more involved?

Medical schools in the AAMC pilot, those interested in implementing EPAs, and those wondering about the faculty resources needed to teach and assess EPAs are already part of a dynamic learning community. Opportunities for engaging with others exist through the AAMC Core EPA listserv, conference presentations, collaborative projects, and in informal medical education networks. Your contributions help shape the work of the Core EPA Pilot project and are a source of new ideas, feedback, and suggestions for implementation. We invite you to continue your conversations with us by sharing the decisions you face within the unique culture of your institution.

- To subscribe to the Core EPAs listserv, send a blank email to subscribe-coreepas@lists.aamc.org. To post a comment to the listserv, simply send an email to coreepas@lists.aamc.org.
- Core EPA Pilot Website: <https://www.aamc.org/initiatives/coreepas/>
- Publications from the Core EPA Pilot Group:
<https://www.aamc.org/initiatives/coreepas/publicationsandpresentations/>
- Core EPA Pilot Group email for queries and observations: coreepas@aamc.org



Core Entrustable Professional Activities for Entering Residency



Tomorrow's Doctors, Tomorrow's Cures®

EPA 10: Recognize a Patient Requiring Urgent or Emergent Care and Initiate Evaluation and Management

An EPA: A unit of observable, measurable professional practice requiring integration of competencies

EPA 10

Recognize urgent or emergent situation

Underlying entrustability for all EPAs are trustworthy habits, including truthfulness, conscientiousness, and discernment.

- Chest pain
- Mental status change
- Shortness of breath and hypoxemia
- Fever
- Hypotension or hypertension
- Tachycardia or arrhythmia
- Oliguria, anuria, or urinary retention
- Electrolyte abnormalities
- Hypoglycemia or hyperglycemia

This schematic depicts development of proficiency in the Core EPAs. It is *not* intended for use as an assessment instrument. Entrustment decisions should be made after EPAs have been observed in multiple settings with varying context, acuity, and complexity and with varying patient characteristics.

Key Functions with Related Competencies	Behaviors Requiring Corrective Response	→ Developing Behaviors → (Learner may be at different levels within a row.)		Expected Behaviors for an Entrustable Learner
<p>Recognize normal and abnormal vital signs as they relate to patient- and disease-specific factors as potential etiologies of a patient's decompensation</p> <p>PC2 PC4 PC5</p>	<p>Fails to recognize trends or variations of vital signs in a decompensating patient</p>	<p>Demonstrates limited ability to gather, filter, prioritize, and connect pieces of information to form a patient-specific differential diagnosis in an urgent or emergent setting</p>	<p>Recognizes outliers or unexpected results or data and seeks out an explanation</p>	<p>Recognizes variations of patient's vital signs based on patient- and disease-specific factors</p>
<p>Recognize severity of a patient's illness and indications for escalating care and initiate interventions and management</p> <p>PC4 PC3 PC2 PC5 PC6 PPD1</p>	<p>Does not recognize change in patient's clinical status or seek help when a patient requires urgent or emergent care</p>	<p>Misses abnormalities in patient's clinical status or does not anticipate next steps</p> <p>May be distracted by multiple problems or have difficulty prioritizing</p>	<p>Recognizes concerning clinical symptoms or unexpected results or data</p> <p>Asks for help</p>	<p>Responds to early clinical deterioration and seeks timely help</p> <p>Prioritizes patients who need immediate care and initiates critical interventions</p>
<p>Initiate and participate in a code response and apply basic and advanced life support</p> <p>PC1 PPD1 SBP2 IPC4</p>	<p>Responds to a decompensated patient in a manner that detracts from or harms team's ability to intervene</p>	<p>Accepts help</p> <p>Requires prompting to perform basic procedural or life support skills correctly</p> <p>Does not engage with other team members</p>	<p>Demonstrates appropriate airway and basic life support (BLS) skills</p> <p>Initiates basic management plans</p> <p>Seeks input or guidance from other members of the health care team</p>	<p>Initiates and applies effective airway management, BLS, and advanced cardiovascular life support (ACLS) skills</p> <p>Monitors response to initial interventions and adjusts plan accordingly</p> <p>Adheres to institutional procedures and protocols for escalation of patient care</p> <p>Uses the health care team members according to their roles and responsibilities to increase task efficiency in an emergent patient condition</p>
<p>Upon recognition of a patient's deterioration, communicate situation, clarify patient's goals of care, and update family members</p> <p>ICS2 ICS6 PPD1</p>	<p>Dismisses concerns of team members (nurses, family members, etc.) about patient deterioration</p> <p>Disregards patient's goals of care or code status</p>	<p>Communicates in a unidirectional manner with family and health care team</p> <p>Provides superfluous or incomplete information to health care team members</p> <p>Does not consider patient's wishes if they differ from those of the provider</p>	<p>Tailors communication and message to the audience, purpose, and context in most situations</p> <p>Actively listens and encourages idea sharing from the team (including patient and family)</p> <p>Confirms goals of care</p>	<p>Communicates bidirectionally with the health care team and family about goals of care and treatment plan while keeping them up to date</p> <p>Actively listens to and elicits feedback from team members (e.g., patient, nurses, family members) regarding concerns about patient deterioration to determine next steps</p>



Core Entrustable Professional Activities for Entering Residency



Appendix 1: Core EPA Pilot Supervision and Coactivity Scales

Scales for clinical supervisors to determine how much help (coactivity) or supervision they judge a student needs for a specific activity have been proposed—the Chen entrustment scale and the Ottawa scale (Chen et al 2015; Rekman et al 2016). There is limited validity evidence for these scales and no published data comparing them. We include these published tools here for your reference. The Core EPA Pilot Group has agreed on a trial using modified versions of these scales (described below). A description of how the pilot is working with these scales is available on the [Core EPA website](#).

Modified Chen entrustment scale: If you were to supervise this student again in a similar situation, which of the following statements aligns with how you would assign the task?	Corresponding excerpt from original Chen entrustment scale (Chen et al 2015)
1b. “Watch me do this.”	1b. Not allowed to practice EPA; allowed to observe
2a. “Let’s do this together.”	2a. Allowed to practice EPA only under proactive, full supervision as coactivity with supervisor
2b. “I’ll watch you.”	2b. Allowed to practice EPA only under proactive, full supervision with supervisor in room ready to step in as needed
3a. “You go ahead, and I’ll double-check all of your findings.”	3a. Allowed to practice EPA only under reactive/on-demand supervision with supervisor immediately available, all findings double-checked
3b. “You go ahead, and I’ll double-check key findings.”	3b. Allowed to practice EPA only under reactive/on demand supervision with supervisor immediately available, key findings double-checked



Core Entrustable Professional Activities for Entering Residency



Modified Ottawa scale: In supervising this student, how much did you participate in the task?	Original Ottawa scale (Rekman et al 2016)
1. “I did it.” Student required complete guidance or was unprepared; I had to do most of the work myself.	1. “I had to do.” (i.e., requires complete hands-on guidance, did not do, or was not given the opportunity to do)
2. “I talked them through it.” Student was able to perform some tasks but required repeated directions.	2. “I had to talk them through.” (i.e., able to perform tasks but requires constant direction)
3. “I directed them from time to time.” Student demonstrated some independence and only required intermittent prompting.	3. “I had to prompt them from time to time.” (i.e., demonstrates some independence, but requires intermittent direction)
4. “I was available just in case.” Student functioned fairly independently and only needed assistance with nuances or complex situations.	4. “I needed to be there in the room just in case.” (i.e., independence but unaware of risks and still requires supervision for safe practice)
5. (No level 5: Students are ineligible for complete independence in our systems.)	5. “I did not need to be there.” (i.e., complete independence, understands risks and performs safely, practice ready)



Core Entrustable Professional Activities for Entering Residency



Appendix 2: Resources Related to EPA 10

Perform All Medical, Diagnostic, and Surgical Procedures (PC1)

EPAC is using PALS training for this. Other possibilities include CPR and ACLS.

Hypothesis-Driven Physical Examination (HDPE)

Uchida T, Heiman H. Critical synthesis package: hypothesis-driven physical examination (HDPE). MedEdPORTAL Publications. 2013;9:9435. doi.org/10.15766/mep_2374-8265.9435.

Script Concordance Testing (SCT)

Russell J. Critical synthesis package: script concordance testing (SCT). MedEdPORTAL Publications. 2013;9:9492. doi.org/10.15766/mep_2374-8265.9492.

Professionalism Mini-Evaluation Exercise (P-MEX)

Gathright M. Critical synthesis package: professionalism mini-evaluation exercise (P-MEX). MedEdPORTAL Publications. 2014;10:9929. doi.org/10.15766/mep_2374-8265.9929.

MAAS-Global Manual 2000

Lacy N. Critical synthesis package: MAAS-global. MedEdPORTAL Publications. 2015;11:10028. dx.doi.org/10.15766/mep_2374-8265.10028.

Reflective Ability Rubric

O'Sullivan P, Aronson L, Chittenden E, Niehaus B, Learman L. Reflective ability rubric and user guide. MedEdPORTAL Publications. 2010;6:8133. doi.org/10.15766/mep_2374-8265.8133.

Evidence in the Literature

Gowda D, Blatt B, Fink MJ, Kosowicz LY, Baecker A, Silvestri RC. A core physical exam for medical students: results of a national survey. *Acad Med*. 2014;89(3):436-442. doi: 10.1097/acm.0000000000000137.

Pusic, MV, Brydges R, Kessler D, Szyld D, Nachbar M, Kalet A. What's your best time? Chronometry in the learning of medical procedures. *Med Educ*. 2014;48(5):479-488. doi: 10.1111/medu.12395.



Core Entrustable Professional Activities for Entering Residency



Appendix 3: Behaviors and Vignettes

The [Core EPA Guide](#) produced by the AAMC contains additional detailed information that may be useful for curriculum designers.

1. For a convenient list of behaviors for this EPA that were used to develop a developmental progression, we refer you to the [Core EPA Guide](#).
2. For exemplars of learner vignettes that highlight pre-entrustable and entrustable scenarios, please see the [Core EPA Guide](#).



Core Entrustable Professional Activities for Entering Residency



Appendix 4: The Physician Competency Reference Set (PCRS)

The Physician Competency Reference Set (Englander et al 2013) is provided for cross-referencing with the one-page schematic.

1. PATIENT CARE (PC): Provide patient-centered care that is compassionate, appropriate, and effective for the treatment of health problems and the promotion of health

- 1.1 Perform all medical, diagnostic, and surgical procedures considered essential for the area of practice
- 1.2 Gather essential and accurate information about patients and their condition through history-taking, physical examination, and the use of laboratory data, imaging, and other tests
- 1.3 Organize and prioritize responsibilities to provide care that is safe, effective, and efficient
- 1.4 Interpret laboratory data, imaging studies, and other tests required for the area of practice
- 1.5 Make informed decisions about diagnostic and therapeutic interventions based on patient information and preferences, up-to-date scientific evidence, and clinical judgment
- 1.6 Develop and carry out patient management plans
- 1.7 Counsel and educate patients and their families to empower them to participate in their care and enable shared decision making
- 1.8 Provide appropriate referral of patients, including ensuring continuity of care throughout transitions between providers or settings and following up on patient progress and outcomes
- 1.9 Provide health care services to patients, families, and communities aimed at preventing health problems or maintaining health
- 1.10 Provide appropriate role modeling
- 1.11 Perform supervisory responsibilities commensurate with one's roles, abilities, and qualifications

2. KNOWLEDGE FOR PRACTICE (KP): Demonstrate knowledge of established and evolving biomedical, clinical, epidemiological, and social-behavioral sciences, as well as the application of this knowledge to patient care

- 2.1 Demonstrate an investigatory and analytic approach to clinical situations
- 2.2 Apply established and emerging biophysical scientific principles fundamental to health care for patients and populations
- 2.3 Apply established and emerging principles of clinical sciences to diagnostic and therapeutic decision making, clinical problem solving, and other aspects of evidence-based health care
- 2.4 Apply principles of epidemiological sciences to the identification of health problems, risk factors, treatment strategies, resources, and disease prevention/health promotion efforts for patients and populations
- 2.5 Apply principles of social-behavioral sciences to provision of patient care, including assessment of the impact of psychosocial-cultural influences on health, disease, care-seeking, care compliance, and barriers to and attitudes toward care
- 2.6 Contribute to the creation, dissemination, application, and translation of new health care knowledge and practices



Core Entrustable Professional Activities for Entering Residency



3. PRACTICE-BASED LEARNING AND IMPROVEMENT (PBLI): Demonstrate the ability to investigate and evaluate their care of patients, to appraise and assimilate scientific evidence, and to continuously improve patient care based on constant self-evaluation and lifelong learning

- 3.1 Identify strengths, deficiencies, and limits in one's knowledge and expertise
- 3.2 Set learning and improvement goals
- 3.3 Identify and perform learning activities that address one's gaps in knowledge, skills, or attitudes
- 3.4 Systematically analyze practice using quality-improvement methods, and implement changes with the goal of practice improvement
- 3.5 Incorporate feedback into daily practice
- 3.6 Locate, appraise, and assimilate evidence from scientific studies related to patients' health problems
- 3.7 Use information technology to optimize learning
- 3.8 Participate in the education of patients, families, students, trainees, peers, and other health professionals
- 3.9 Obtain and utilize information about individual patients, populations of patients, or communities from which patients are drawn to improve care
- 3.10 Continually identify, analyze, and implement new knowledge, guidelines, standards, technologies, products, or services that have been demonstrated to improve outcomes

4. INTERPERSONAL AND COMMUNICATION SKILLS (ICS): Demonstrate interpersonal and communication skills that result in the effective exchange of information and collaboration with patients, their families, and health professionals

- 4.1 Communicate effectively with patients, families, and the public, as appropriate, across a broad range of socioeconomic and cultural backgrounds
- 4.2 Communicate effectively with colleagues within one's profession or specialty, other health professionals, and health-related agencies (see also interprofessional collaboration competency, IPC 7.3)
- 4.3 Work effectively with others as a member or leader of a health care team or other professional group (see also IPC 7.4)
- 4.4 Act in a consultative role to other health professionals
- 4.5 Maintain comprehensive, timely, and legible medical records
- 4.6 Demonstrate sensitivity, honesty, and compassion in difficult conversations (e.g., about issues such as death, end-of-life issues, adverse events, bad news, disclosure of errors, and other sensitive topics)
- 4.7 Demonstrate insight and understanding about emotions and human responses to emotions that allow one to develop and manage interpersonal interactions

5. PROFESSIONALISM (P): Demonstrate a commitment to carrying out professional responsibilities and an adherence to ethical principles

- 5.1 Demonstrate compassion, integrity, and respect for others
- 5.2 Demonstrate responsiveness to patient needs that supersedes self-interest
- 5.3 Demonstrate respect for patient privacy and autonomy



Core Entrustable Professional Activities for Entering Residency



- 5.4 Demonstrate accountability to patients, society, and the profession
- 5.5 Demonstrate sensitivity and responsiveness to a diverse patient population, including but not limited to diversity in gender, age, culture, race, religion, disabilities, and sexual orientation
- 5.6 Demonstrate a commitment to ethical principles pertaining to provision or withholding of care, confidentiality, informed consent, and business practices, including compliance with relevant laws, policies, and regulations

6. SYSTEMS-BASED PRACTICE (SBP): Demonstrate an awareness of and responsiveness to the larger context and system of health care, as well as the ability to call effectively on other resources in the system to provide optimal health care

- 6.1 Work effectively in various health care delivery settings and systems relevant to one's clinical specialty
- 6.2 Coordinate patient care within the health care system relevant to one's clinical specialty
- 6.3 Incorporate considerations of cost awareness and risk–benefit analysis in patient and/or population-based care
- 6.4 Advocate for quality patient care and optimal patient care systems
- 6.5 Participate in identifying system errors and implementing potential systems solutions
- 6.6 Perform administrative and practice management responsibilities commensurate with one's role, abilities, and qualifications

7. INTERPROFESSIONAL COLLABORATION (IPC): Demonstrate the ability to engage in an interprofessional team in a manner that optimizes safe, effective patient- and population-centered care

- 7.1 Work with other health professionals to establish and maintain a climate of mutual respect, dignity, diversity, ethical integrity, and trust
- 7.2 Use the knowledge of one's own role and those of other professions to appropriately assess and address the health care needs of the patients and populations served
- 7.3 Communicate with other health professionals in a responsive and responsible manner that supports the maintenance of health and the treatment of disease in individual patients and populations
- 7.4 Participate in different team roles to establish, develop, and continuously enhance interprofessional teams to provide patient- and population-centered care that is safe, timely, efficient, effective, and equitable

8. PERSONAL AND PROFESSIONAL DEVELOPMENT (PPD): Demonstrate the qualities required to sustain lifelong personal and professional growth

- 8.1 Develop the ability to use self-awareness of knowledge, skills, and emotional limitations to engage in appropriate help-seeking behaviors
- 8.2 Demonstrate healthy coping mechanisms to respond to stress
- 8.3 Manage conflict between personal and professional responsibilities
- 8.4 Practice flexibility and maturity in adjusting to change with the capacity to alter behavior
- 8.5 Demonstrate trustworthiness that makes colleagues feel secure when one is responsible for the care of patients
- 8.6 Provide leadership skills that enhance team functioning, the learning environment, and/or the health care delivery system



Core Entrustable Professional Activities for Entering Residency



- 8.7 Demonstrate self-confidence that puts patients, families, and members of the health care team at ease
- 8.8 Recognize that ambiguity is part of clinical health care and respond by using appropriate resources in dealing with uncertainty



Core Entrustable Professional Activities for Entering Residency



References

Publications From the Core EPA Pilot Group

Brown DR, Gillespie CC, Warren JB. [EPA 9—Collaborate as a member of an interprofessional team: a short communication from the AAMC Core EPAs for Entering Residency Pilot Schools](#). *Med Sci Educ*. 2016;26(3):457-461.

Brown DR, Warren JB, Hyderi A, Drusin RE, Moeller J, Rosenfeld M, et al. [Finding a path to entrustment in undergraduate medical education: a progress report from the AAMC Core Entrustable Professional Activities for Entering Residency Entrustment Concept Group](#). *Acad Med*. 2017;92(6):774-779.

Englander R, Cameron T, Ballard AJ, Dodge J, Bull J, Aschenbrener CA. [Toward a common taxonomy of competency domains for the health professions and competencies for physicians](#). *Acad Med*. 2013;88(8):1088-1094.

Englander R, Carraccio C. [From theory to practice: making entrustable professional activities come to life in the context of milestones](#). *Acad Med*. 2014;89(10):1321-1323.

Favreau MA, Tewksbury L, Lupi C, Cutrer WB, Jokela JA, Yarris LM. [Constructing a shared mental model for faculty development for the Core Entrustable Professional Activities for Entering Residency](#). *Acad Med*. 2017;92(6):759-764.

Lomis KD, Ryan MS, Amiel JM, Cocks PM, Uthman MO, Esposito KF. [Core entrustable professional activities for entering residency pilot group update: considerations for medical science educators](#). *Med Sci Educ*. 2016;26(4):797-800.

Lomis K, Amiel JM, Ryan MS, et al. [Implementing an entrustable professional activities framework in undergraduate medical education: early lessons from the AAMC core entrustable professional activities for entering residency pilot](#). *Acad Med*. 2017;92(6):765-770.

Other Related Publications

Association of American Medical Colleges (AAMC). Core entrustable professional activities for entering residency. mededportal.org/icollaborative/resource/887. May 28, 2014. Accessed March 1, 2016.

Chen HC, van den Broek WS, ten Cate O. [The case for use of entrustable professional activities in undergraduate medical education](#). *Acad Med*. 2015;90(4):431-436.

Englander R, Cameron T, Ballard AJ, Dodge J, Bull J, Aschenbrener CA. [Toward a common taxonomy of competency domains for the health professions and competencies for physicians](#). *Acad Med*. 2013;88(8):1088-1094.

Kennedy TJT, Regehr G, Baker GR, Lingard L. [Point-of-care assessment of medical trainee competence for independent clinical work](#). *Acad Med*. 2008;83(10):S89-S92.

Peters H, Holzhausen Y, Boscardin C, ten Cate O, Chen HC. [Twelve tips for the implementation of EPAs for assessment and entrustment decisions](#). *Med Teach*. 2017;39(8):802-807.

Rekman J, Hamstra SJ, Dudek N, Wood T, Seabrook C, Gofton W. [A new instrument for assessing resident competence in surgical clinic: the Ottawa clinic assessment tool](#). *J Surg Educ*. 2016;73(4):575-582.