

See reverse for further assignments

| | | |
|--------------|---|--|
| DAY 1 | <p><u>Dysrhythmias, syncope, acute coronary syndrome, congestive heart failure</u> CoreEM: tachydysrhythmias EM Cases: syncope First10EM: unstable atrial fibrillation First10EM: torsades emDocs: the sick MI patient emDocs: pacemaker and AICD management in the ED HIPPO simplified arrhythmia therapy (42 min), bradycardia approach (20 min) ACS (61 min), cardiomyopathy (11 min), heart failure (16 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| DAY 2 | <p><u>Valvular disease, carditis, dissection, aneurysm, DVT, and hypertensive emergencies</u> ALIEM: DVT emDocs: acute aortic dissection emDocs: D-dimer in acute aortic dissection emDocs: acute valvular emergencies - pearls and pitfalls emDocs: asymptomatic hypertension HIPPO pericarditis + HTN emergency (17 min), vascular d/o (18 min) valvular d/o + endocardium (14 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| DAY 3 | <p><u>Non-infectious pulmonary disease, approach to hypoxemia</u> CoreEM: acute pulmonary edema CoreEM: life-threatening asthma emDocs: the crashing pulmonary hypertension patient CoreEM: hemodynamically-unstable PE emDocs: hemoptysis - an EM primer HIPPO respiratory CCs (30 min), obstructive diseases (30 min), PE (9 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| DAY 4 | <p><u>Infectious pulmonary disease, emergency airway management</u> emDocs: pneumonia mimics - pearls and pitfalls emDocs: ED evaluation of community-acquired pneumonia emDocs: BiPAP - who needs it and who doesn't? First10EM: intubation + airway management HIPPO parenchyma (50 min), pulmonary ID (13 min), chest wall (13 min) ear (60 min), nose (11 min), throat (30 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |

**Not included above: 5 hours of case preparation per week, 6 hours if scheduled to present during that week's session, and 5 hours for the weekly in-person session, as well as break and lunch times during the day.*

 PRINTED NAME

 SIGNATURE

 DATE

| | | | |
|--------------|---|---|--------------------------|
| DAY 1 | <u>Dysrhythmias (tachycardia, bradycardia), acute coronary syndrome, congestive heart failure</u> | | |
| | TTL | SVT, AF/AFlutter, narrow tachycardias, VT/VF, AVBs, conduction issues, PEA, pacemakers (p. 10-25); dysrhythmia (p. 29-31) chest pain, ACS, CHF (p. 111-137); cardiomyopathy (p. 144-146) | <input type="checkbox"/> |
| DAY 2 | <u>Valvular disease, carditis, dissection, aneurysm, DVT, and hypertensive emergencies</u> | | |
| | TTL | valvular emergencies, cardiomyopathies + pericarditis (p. 138-149) endocarditis (p. 453-455); DVT, HTN, aortic dissection, AAA (p. 150-164) | <input type="checkbox"/> |
| DAY 3 | ROSH | chest pain and cardiac dysrhythmias (p. 1-48) | <input type="checkbox"/> |
| | <u>Non-infectious pulmonary disease, approach to hypoxemia</u> | | |
| | TTL | PE (p. 150-155); PTX, hemoptysis, asthma, COPD (p. 181-188) | <input type="checkbox"/> |
| | RADS | chapter 18 (p. 307-328) | <input type="checkbox"/> |
| | ROSH | shortness of breath (p. 49-76) | <input type="checkbox"/> |
| | EKG | cases 1-20 | <input type="checkbox"/> |
| DAY 4 | <u>Infectious pulmonary disease, emergency airway management</u> | | |
| | TTL | bronchitis, pneumonia, TB (p. 172-180) | <input type="checkbox"/> |
| | EKG | cases 21-40 | <input type="checkbox"/> |

See reverse for further assignments

| | | | | | | | | | | |
|--------------|--|---|--|--|--|--|--|--|--|--|
| DAY 1 | <p><u>General traumatic injury (+ head and neck)</u> RebelEM: clinical decision tools in head trauma emDocs: trauma in the pregnant patient emDocs: resuscitation in the pregnant patient emDocs: neck trauma EM Cases: pediatric head trauma emDocs: blunt ocular trauma</p> <p>HIPPO intro to trauma (22 min), chest (21 min)</p> | <table border="1"> <tr><td> </td></tr> </table> | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | | | |
|--------------|---|---|--|--|--|
| DAY 2 | <p><u>Specialized traumatic injury (+ chest and abdomen)</u> emDocs: massive hemothorax CoreEM: abdominal exam in blunt trauma</p> <p>HIPPO head & neck (30 min), eye (60 min)</p> | <table border="1"> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table> | | | |
| | | | | | |
| | | | | | |
| | | | | | |

| | | | | | | | | | | |
|--------------|---|---|--|--|--|--|--|--|--|--|
| DAY 3 | <p><u>Specialized traumatic injury (+ pelvic and extremity)</u> emDocs: genitourinary trauma emDocs: pelvic fractures emDocs: open fractures - pearls and pitfalls emDocs: wrist + forearm injuries emDocs: hand injuries FOAMCast: knee injuries</p> <p>HIPPO soft tissue trauma & special populations (16 min)</p> | <table border="1"> <tr><td> </td></tr> </table> | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | |

| | | | | | | |
|--------------|---|---|--|--|--|--|
| DAY 4 | <p><u>Environmental exposures</u> ALiEM: evaluation and management of heat illness FOAMCast: altitude EM Cases: pediatric drowning + hypothermia</p> <p>HIPPO high altitude + dysbarism (30 min), bites/envenomations (30 min) heat illness + thermal burns (12 min, 12 min), hypothermia (24 min) electrical injury (14 min), submersion injury (10 min), radiation (10 min)</p> | <table border="1"> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> <tr><td> </td></tr> </table> | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

**Not included above: 5 hours of case preparation per week, 6 hours if scheduled to present during that week's session, and 5 hours for the weekly in-person session, as well as break and lunch times during the day.*

PRINTED NAME

SIGNATURE

DATE

| | | | |
|--------------|--|--|--------------------------|
| DAY 1 | <u>General traumatic injury (+ head and neck)</u> | | |
| | TTL | adult trauma (p. 787-790), peds trauma (p. 791-794), elder trauma (p. 795-797), TBI/spine trauma (p. 801-812), thoraco-abdominal, flank/GU, and extremity (p. 822-842) | <input type="checkbox"/> |
| | ROSH | trauma (p. 129-176), shock + resuscitation (p. 207-234) | <input type="checkbox"/> |
| DAY 2 | <u>Specialized traumatic injury (+ chest and abdomen)</u> | | |
| | TTL | eye/ENT trauma (p. 744-748, 757-758), dental emergencies (p. 762-768) facial/neck trauma (p. 813-821), pelvic fractures (p. 861-866) | <input type="checkbox"/> |
| | RADS | abdominal trauma, penetrating FB, swallowed FB (Ch. 19-21; p. 329-362) | <input type="checkbox"/> |
| DAY 3 | <u>Specialized traumatic injury (+ pelvic and extremity)</u> | | |
| | TTL | rhabdo (p. 256-257), thermal burns (p. 604-610), electrical and lightning (p. 611-616), trauma in pregnancy (p. 798-800) | <input type="checkbox"/> |
| | RADS | cervical and thoracic spine (Ch. 11-12, p. 171-212), pelvic and hip injury (Ch. 13-14, p. 213-242) | <input type="checkbox"/> |
| DAY 4 | <u>Environmental exposures, hypothermic resuscitation</u> | | |
| | TTL | heat/cold exposure, bites/stings, altitude, submersion (p. 577-603) | <input type="checkbox"/> |

See reverse for further assignments

| | | |
|--------------|--|--|
| DAY 1 | <p><u>Brain emergencies</u> emDocs: meningitis ALiEM: elderly patients with AMS emDocs: critical intracranial hemorrhage - pearls and pitfalls emDocs: general AMS emDocs: the EM approach to unconscious patients HIPPO ischemic and miscellaneous stroke (14 min, 21 min), cranial nerves and vertigo (20 min), altered mental status (22 min), hydrocephalus (8 min) movement d/o + hemorrhagic stroke (36 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| DAY 2 | <p><u>Nerve and spinal cord emergencies</u> emDocs: cauda equina syndrome emDocs: transverse myelitis emDocs: undifferentiated weakness HIPPO meningitis (13 min), miscellaneous topics (47 min), TIA/dural sinus thrombosis (15 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| DAY 3 | <p><u>Psychiatric emergencies and agitated patients</u> emDocs: approach to agitation EMCrit: delirium tremens HIPPO eating d/o (14 min), schizophrenia spectrum + depression (17 min) bipolar, anxiety, and panic d/o (15 min), PTSD, OCD, phobia, and personality d/o (18 min), delirium vs. dementia, substances (22 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| DAY 4 | <p><u>Toxidromes</u> EM Cases: TCA overdose emDocs: approach to the poisoned patient ALiEM: acetaminophen toxicity EM Cases: low and slow toxidromes HIPPO A-to-Z tox 1 (22 min), A-to-Z tox 2 (17 min), A-to-Z tox 3 (20 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |

**Not included above: 5 hours of case preparation per week, 6 hours if scheduled to present during that week's session, and 5 hours for the weekly in-person session, as well as break and lunch times during the day.*

PRINTED NAME

SIGNATURE

DATE

| | | | |
|--------------|---|---|--|
| DAY 1 | <u>Brain emergencies (with an approach to stroke, vertigo, and AMS)</u> | | <input type="checkbox"/> |
| | TTL | HA, stroke/TIA/SAH, AMS (p. 685-711), vertigo/seizure (p. 715-725) meningitis (p. 734-738) | |
| DAY 2 | <u>Nerve and spinal cord emergencies</u> | | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
| | TTL | neuropathy/chronic neuro d/o (p. 726-733), spinal cord injury (p. 807-812) | |
| | RADS | pediatric + adult skull (Ch. 3-4, p. 35-52) | |
| ROSH | AMS (p. 267-297), HA (p. 345-372), weakness/dizziness (p. 373-398) | | |
| DAY 3 | <u>Psychiatric emergencies and agitated patients</u> | | <input type="checkbox"/> <input type="checkbox"/> |
| | TTL | behavioral disorders, panic and conversion disorders (p. 907-918) | |
| ROSH | environmental exposures (p. 461-488); psychosocial d/o (p. 533-548) | | |
| DAY 4 | <u>Toxidromes</u> | | <input type="checkbox"/> |
| | TTL | poisoned patient (p. 489-496), TCAs/Li/psych drugs, sedatives, EtOHs, street drugs, ASA (p. 499-523), clonidine/phenytoin (p. 543-546); APAP (p. 523-526); cardiac meds (p. 533-544); hydrocarbons, caustics, sprays, metals, industrials (p. 549-571); CO/shrooms (p. 617-625) | |

See reverse for further assignments

| | | |
|--------------|--|--|
| DAY 1 | <p><u>GI bleeding; esophageal and stomach disorders</u> emDocs: esophageal foreign bodies emDocs: approach to the sick cirrhotic First10EM: management of massive GI bleeds emDocs: the unstable patient with a GI bleed EM Cases: GI bleeds (1) EM Cases: GI bleeds (2) HIPPO esophagus and GI bleed (27 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
|--------------|--|--|

| | | |
|--------------|--|--|
| DAY 2 | <p><u>Acute abdomen; anorectal</u> CoreEM: small bowel obstruction emDocs: ultrasound for small bowel obstruction HIPPO rectum and anus (20 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
|--------------|--|--|

| | | |
|--------------|---|--|
| DAY 3 | <p><u>Biliary, liver, GI infection</u> CoreEM: acute pancreatitis emDocs: spontaneous bacterial peritonitis emDocs: hepatic encephalopathy emDocs: cholangitis - pearls and pitfalls HIPPO small + large bowel (41 min), biliary + pancreas (17 min), liver (18 min) spleen (19 min), GI infectious + inflammatory diseases (28 min)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
|--------------|---|--|

| | | |
|--------------|--|--|
| DAY 4 | <p><u>Musculoskeletal</u> Northwestern: orthopaedic teaching cases HIPPO rheumatology (14 min, 11 min), misc. MSK NM d/o (19 min, 29 min) knee (14 min), shoulder d/o (21 min), arm + hand (12 min, 15 min) TTL neuropathy, chronic neuro d/o (p. 726-733), spinal cord injury (p. 807-812) compartment s., back pain (p. 875-881); arthritis + MSK infection (p. 889-893) ROSH Musculoskeletal injuries (p. 317-344)</p> | <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> |
|--------------|--|--|

**Not included above: 5 hours of case preparation per week, 6 hours if scheduled to present during that week's session, and 5 hours for the weekly in-person session, as well as break and lunch times during the day.*

PRINTED NAME

SIGNATURE

DATE

| | | | |
|--------------|--|---|--------------------------|
| DAY 1 | <u>GI bleeding; esophageal and stomach disorders</u> | | <input type="checkbox"/> |
| | TTL | GIB, esophageal emergencies, PUD (p. 207-217) | |
| | ROSH | gastrointestinal bleeding (p. 297-316) | <input type="checkbox"/> |
| DAY 2 | <u>Acute abdomen; anorectal</u> | | <input type="checkbox"/> |
| | TTL | acute abdomen (p. 189-195), appendicitis, diverticulitis, SBO, hernias, anorectal (p. 223-238) | |
| | ROSH | abdominal and pelvic pain (p. 77-128) | <input type="checkbox"/> |
| DAY 3 | <u>Biliary, liver, GI infection</u> | | <input type="checkbox"/> |
| | TTL | diarrhea (p. 296-303), pancreatitis + cholecystitis (p. 218-222), hepatic disorders (p. 239-246), diarrhea in AIDS (p. 449-450), GI infections (p. 464-465; p. 473-479) | |
| DAY 4 | <u>Musculoskeletal</u> | | <input type="checkbox"/> |
| | TTL | neuropathy, chronic neuro d/o (p. 726-733), spinal cord injury (p. 807-812) compartment s., back pain (p. 875-881); arthritis + MSK infection (p. 889-893) | |
| | ROSH | musculoskeletal injuries (p. 317-344) | <input type="checkbox"/> |